retief sales promotion
innovation design solutions

SHOWROOM | SALES
12 Ruhr Street Northern Industrial, Windhoek, Namibia

TEL + 264 61 218 610 | FAX + 264 61 215 560

sales@shop-expo.com




STEEL SELF-LOCK SCAFFOLD

- Tubular steel scaffolding
- Simple to erect & dismantle
- Inexpensive alternative to aluminium scaffolding
- Available in 1.5m, 2.1m & 3m frame sizes
- Towers include: frames, base braces, safety rails, handrails, diagonals, lockable castors & platforms
- Optional extras: base jacks, access ladders, adjustable castors, trap-door platforms

TOWER (H)	FRAME SIZE AVAILABLE		
	1.5 m	2.1 m	3.0 m
4 m	SHD-4-1.5	SHD-4-2.1	SHD-4-3
5 m	SHD-5-1.5	SHD-5-2.1	SHD-5-3
6 m	SHD-6-1.5	SHD-6-2.1	SHD-6-3
8 m	SHD-8-1.5	SHD-8-2.1	SHD-8-3
10 m	N/A	SHD-10-2.1	SHD-10-3
12 m	N/A	N/A	SHD-12-3

STANDARD COMPONENTS:

Frames



Braces



Steel Boards



Lockable Castors



The content of this document remains the intellectual property of Retief Sales Promotion / Suppliers and may not be reproduced or adapted, in whole or part, without written permission of Retief Sales Promotion.

retief sales promotion
innovation design solutions

SHOWROOM | SALES
12 Ruhr Street Northern Industrial, Windhoek, Namibia

TEL + 264 61 218 610 | FAX + 264 61 215 560

sales@shop-expo.com


CAT | ACCESS EQUIPMENT

Product: SCAFFOLD | SELF - LOCK FRAME




STEEL SELF-LOCK SCAFFOLD

STANDARD COMPONENTS:

Frames	Braces	Steel Boards	Lockable Castors
			

OPTIONAL EXTRA COMPONENTS:

Access Ladders	Adjustable Base Jacks	Trapdoor Platform	Toe-board Set
			
Contact our sales team to assist with the options you require sales@shop-expo.com	Adjustable Castor 	Knee Brace 	Refer to page 2 Popular tower assembly

The content of this document remains the intellectual property of Retief Sales Promotion / Suppliers and may not be reproduced or adapted, in whole or part, without written permission of Retief Sales Promotion.

retief sales promotion
innovation design solutions

SHOWROOM | SALES
12 Ruhr Street Northern Industrial, Windhoek, Namibia

TEL + 264 61 218 610 | FAX + 264 61 215 560

sales@shop-expo.com

CAT | ACCESS EQUIPMENT

Product: SCAFFOLD | SELF - LOCK FRAME



STEEL SELF-LOCK SCAFFOLD

1.5 M X 1.5 M BASE TOWER

TOWER HEIGHT	4M	5M	6M	8M
Frames	8	10	12	16
Tie Bars	4	4	4	4
Cross Braces	2	2	2	3
Steelboards	6	6	6	6
Castors	4	4	4	4
Base Jacks	4	4	4	4
Access Ladders	1	2	2	3
Toe-Board Set	1	1	1	1
Trapdoor	1	1	1	1
Knee-Brace	4	4	4	4

3.0 M X 3.0 M BASE TOWER

TOWER HEIGHT	8M	10M	12M	15M
Frames	16	20	24	30
Tie Bars	4	4	4	4
Cross Braces	3	3	4	4
Steelboards	12	12	12	12
Castors	4	4	4	4
Base Jacks	4	4	4	4
Access Ladders	3	4	5	7
Toe-Board Set	1	1	1	1
Trapdoor	1	1	1	1
Knee-Brace	4	4	4	4

2.1 M X 2.1 M BASE TOWER

TOWER HEIGHT	4M	5M	6M	8M	10M
Frames	8	10	12	16	20
Tie Bars	4	4	4	4	4
Cross Braces	2	2	2	3	3
Steelboards	9	9	9	9	9
Castors	4	4	4	4	4
Base Jacks	4	4	4	4	4
Access Ladders	1	2	3	4	4
Toe-Board Set	1	1	1	1	1
Trapdoor	1	1	1	1	1
Knee-Brace	4	4	4	4	4

NOTE: Shaded components are optional. Our sales team will guide you on the options

The content of this document remains the intellectual property of Retief Sales Promotion / Suppliers and may not be reproduced or adapted, in whole or part, without written permission of Retief Sales Promotion.


retief sales promotion
innovation design solutions

SHOWROOM | SALES
12 Ruhr Street Northern Industrial, Windhoek, Namibia


TEL + 264 61 218 610 | FAX + 264 61 215 560

sales@shop-expo.com

ALUMINIUM STAIRWAY TOWERS



- Lightweight Aluminium Scaffolding
- Fastest erection & dismantling compared to other scaffolding
- Full handrails on all towers
- Stabilizers on all towers above 4.5m
- Lockable, height adjustable castors on all towers
- Trap-access platforms on all towers
- Safety harness' available
- Bridging platforms up to 7.2m available
- Tower Dimension 1.8m x 1.5m
- Internal staircase & platform on every level
- Platform heights from 2.5m up to 12.5m with stabilizers
- Maximum height 20.5m tied to structure



The content of this document remains the intellectual property of Retief Sales Promotion / Suppliers and may not be reproduced or adapted, in whole or part, without written permission of Retief Sales Promotion.

retief sales promotion
innovation design solutions

SHOWROOM | SALES
12 Ruhr Street Northern Industrial, Windhoek, Namibia

TEL + 264 61 218 610 | FAX + 264 61 215 560

sales@shop-expo.com

ALUMINIUM STAIRWAY TOWERS

TOWER HEIGHT 2.3 M

•Building frames:	2
•Guard rail frames:	2
•Diagonal braces (yellow hook):	1
•Horizontal braces (black hook):	6
•Handrail braces (red hook):	1
•Ladder:	1
•Trapdoor platform:	1
•Plain platform:	1
•Adjustable castors:	4
•Lock braces:	L2 & S0
•Toe board sets:	1

TOWER HEIGHT 4.4 M

•Building frames:	4
•Guard rail frames:	2
•Diagonal braces (yellow hook):	2
•Horizontal braces (black hook):	7
•Handrail braces (red hook):	2
•Ladder:	2
•Trapdoor platform:	1
•Plain platform:	2
•Adjustable castors:	4
•Lock braces:	L2 & S2
•Toe board sets:	1

TOWER HEIGHT 6.5 M

•Building frames:	6
•Guard rail frames:	2
•Diagonal braces (yellow hook):	3
•Horizontal braces (black hook):	8
•Handrail braces (red hook):	3
•Ladder:	3
•Trapdoor platform:	1
•Plain platform:	3
•Adjustable castors:	4
•Triangular stabilizer:	4
•Lock braces:	L2 & S4
•Toe board sets:	1

TOWER HEIGHT 8.6 M

•Building frames:	8
•Guard rail frames:	2
•Diagonal braces (yellow hook):	4
•Horizontal braces (black hook):	9
•Handrail braces (red hook):	4
•Ladder:	4
•Trapdoor platform:	1
•Plain platform:	4
•Adjustable castors:	4
•Triangular stabilizer:	4
•Lock braces:	L2 & S6
•Toe board sets:	1

TOWER HEIGHT 10.7 M


•Building frames:	10
•Guard rail frames:	2
•Diagonal braces (yellow hook):	5
•Horizontal braces (black hook):	10
•Handrail braces (red hook):	5
•Ladder:	5
•Trapdoor platform:	1
•Plain platform:	5
•Adjustable castors:	4
•Triangular stabilizer:	4
•Lock braces:	L2 & S8
•Toe board sets:	1

TOWER HEIGHT 12.8 M

•Building frames:	12
•Guard rail frames:	2
•Diagonal braces (yellow hook):	6
•Horizontal braces (black hook):	11
•Handrail braces (red hook):	6
•Ladder:	6
•Trapdoor platform:	1
•Plain platform:	6
•Adjustable castors:	4
•Triangular stabilizer:	4
•Lock braces:	L2 & S10
•Toe board sets:	1

TOWER HEIGHT 14.9 M

•Building frames:	14
•Guard rail frames:	2
•Diagonal braces (yellow hook):	7
•Horizontal braces (black hook):	12
•Handrail braces (red hook):	7
•Ladder:	7
•Trapdoor platform:	1
•Plain platform:	7
•Adjustable castors:	4
•Triangular stabilizer:	4
•Lock braces:	L2 & S12
•Toe board sets:	1



NOTE:
Our sales team
will guide you on the options

The content of this document remains the intellectual property of Retief Sales Promotion / Suppliers and may not be reproduced or adapted, in whole or part, without written permission of Retief Sales Promotion.


retief sales promotion
innovation design solutions

SHOWROOM | SALES
12 Ruhr Street Northern Industrial, Windhoek, Namibia


TEL + 264 61 218 610 | FAX + 264 61 215 560

sales@shop-expo.com

ALUMINIUM SPAN TOWERS



- Lightweight Aluminium Scaffolding
- Fastest erection & dismantling compared to other scaffolding
- Full handrails on all towers
- Stabilizers on all towers above 4.5m
- Lockable, height adjustable castors on all towers
- Trap-access platforms on all towers
- Safety harness' available
- Bridging platforms up to 7.2m available
- Tower Dimension 1.8m x 1.5m
- Platform heights from 2.2m up to 12.2m with stabilizers
- Maximum height 20.2m tied to structure



The content of this document remains the intellectual property of Retief Sales Promotion / Suppliers and may not be reproduced or adapted, in whole or part, without written permission of Retief Sales Promotion.

retief sales promotion
innovation design solutions

SHOWROOM | SALES
12 Ruhr Street Northern Industrial, Windhoek, Namibia

TEL + 264 61 218 610 | FAX + 264 61 215 560

sales@shop-expo.com

ALUMINIUM SPAN TOWERS

TOWER HEIGHT 2.2 M

•Four rung frame:	2
•Two rung frame:	0
•Guard rail frame:	2
•Diagonal braces (red hook):	4
•Horizontal braces (yellow hook):	6
•Plain platform:	1
•Trapdoor platform:	1
•Adjustable castors (200mm):	4
•Lock braces:	L2
•Toe board sets:	1

TOWER HEIGHT 3.4 M

•Four rung frame:	2
•Two rung frame:	2
•Guard rail frame:	2
•Diagonal braces (red hook):	6
•Horizontal braces (yellow hook):	6
•Plain platform:	1
•Trapdoor platform:	1
•Adjustable castors (200mm):	4
•Lock braces:	L4
•Toe board sets:	1

TOWER HEIGHT 4.2 M

•Four rung frame:	4
•Two rung frame:	0
•Guard rail frame:	2
•Diagonal braces (red hook):	8
•Horizontal braces(yellow hook):	6
•Plain platform:	2
•Trapdoor platform:	1
•Adjustable castors (200mm):	4
•Lock braces:	L4
•Toe board sets:	1

TOWER HEIGHT 5.4 M

•Four rung frame:	4
•Two rung frame:	2
•Guard rail frame:	2
•Diagonal braces (red hook):	10
•Horizontal braces (yellow hook):	6
•Plain platform:	2
•Trapdoor platform:	1
•Adjustable castors (200mm):	4
•Lock braces:	L6
•Toe board sets:	1

TOWER HEIGHT 6.2 M

•Four rung frame:	6
•Two rung frame:	0
•Guard rail frame:	2
•Diagonal braces (red hook):	12
•Horizontal braces (yellow hook):	6
•Plain platform:	3
•Trapdoor platform:	1
•Adjustable castors (200mm):	4
•Triangular stabilizer:	4
•Lock braces:	L6
•Toe board sets:	1

TOWER HEIGHT 7.4 M

•Four rung frame:	6
•Two rung frame:	2
•Guard rail frame:	2
•Diagonal braces (red hook):	14
•Horizontal braces (yellow hook):	6
•Plain platform:	3
•Trapdoor platform:	1
•Adjustable castors (200mm):	4
•Triangular stabilizer:	4
•Lock braces:	L8
•Toe board sets:	1

TOWER HEIGHT 8.2 M

•Four rung frame:	8
•Two rung frame:	0
•Guard rail frame:	2
•Diagonal braces (red hook):	16
•Horizontal braces (yellow hook):	6
•Plain platform:	4
•Trapdoor platform:	1
•Adjustable castors (200mm):	4
•Triangular stabilizer:	4
•Lock braces:	L8
•Toe board sets:	1

TOWER HEIGHT 9.4 M

•Four rung frame:	8
•Two rung frame:	2
•Guard rail frame:	2
•Diagonal braces (red hook):	18
•Horizontal braces (yellow hook):	6
•Plain platform:	4
•Trapdoor platform:	1
•Adjustable castors (200mm):	4
•Triangular stabilizer:	4
•Lock braces:	L10
•Toe board sets:	1

TOWER HEIGHT 10.2 M

•Four rung frame:	10
•Two rung frame:	0
•Guard rail frame:	2
•Diagonal braces (red hook):	20
•Horizontal braces (yellow hook):	6
•Plain platform:	5
•Trapdoor platform:	1
•Adjustable castors (200mm):	4
•Triangular stabilizer:	4
•Lock braces:	L10
•Toe board sets:	1

The content of this document remains the intellectual property of Retief Sales Promotion / Suppliers and may not be reproduced or adapted, in whole or part, without written permission of Retief Sales Promotion.

retief sales promotion
innovation design solutions

SHOWROOM | SALES
12 Ruhr Street Northern Industrial, Windhoek, Namibia

TEL + 264 61 218 610 | FAX + 264 61 215 560

sales@shop-expo.com


ALUMINIUM SPAN TOWERS

TOWER HEIGHT 11.4 M

•Four rung frame:	10
•Two rung frame:	2
•Guard rail frame:	2
•Diagonal braces (red hook):	22
•Horizontal braces (yellow hook):	6
•Plain platform:	5
•Trapdoor platform:	1
•Adjustable castors (200mm):	4
•Triangular stabilizer:	4
•Lock braces:	L12
•Toe board sets:	1

TOWER HEIGHT 12.2 M

•Four rung frame:	12
•Two rung frame:	0
•Guard rail frame:	2
•Diagonal braces (red hook):	24
•Horizontal braces (yellow hook):	6
•Plain platform:	6
•Trapdoor platform:	1
•Adjustable castors (200mm):	4
•Triangular stabilizer:	4
•Lock braces:	L12
•Toe board sets:	1



The content of this document remains the intellectual property of Retief Sales Promotion / Suppliers and may not be reproduced or adapted, in whole or part, without written permission of Retief Sales Promotion.

retief sales promotion
innovation design solutions


SHOWROOM | SALES
12 Ruhr Street Northern Industrial, Windhoek, Namibia

TEL + 264 61 218 610 | FAX + 264 61 215 560


sales@shop-expo.com

CAT | ACCESS EQUIPMENT Product: SCAFFOLD | ALUMINIUM NARROW SPAN TOWER

ALUMINIUM NARROW SPAN TOWERS



- Lightweight Aluminium Scaffolding
- Fastest erection & dismantling compared to other scaffolding
- Full handrails on all towers
- Stabilizers on all towers above 4.5m
- Lockable, height adjustable castors on all towers
- Trap-access platforms on all towers
- Safety harness' available
- Bridging platforms up to 7.2m available
- Tower dimension 1.8m x 0.9m
- Platform heights from 2.2m up to 8.2m with stabilizers
- Max height 8.2m tied to structure



The content of this document remains the intellectual property of Retief Sales Promotion / Suppliers and may not be reproduced or adapted, in whole or part, without written permission of Retief Sales Promotion.

retief sales promotion
innovation design solutions

SHOWROOM | SALES
12 Ruhr Street Northern Industrial, Windhoek, Namibia

TEL + 264 61 218 610 | FAX + 264 61 215 560

sales@shop-expo.com

ALUMINIUM NARROW SPAN TOWERS

TOWER HEIGHT 2.2 M

•Four rung frame:	2
•Two rung frame:	0
•Guard rail frame:	2
•Diagonal braces (red hook):	4
•Horizontal braces (yellow hook):	6
•Plain platform:	1
•Trapdoor platform:	1
•Adjustable castors (200mm):	4
•Lock braces:	L2
•Toe board sets:	1

TOWER HEIGHT 3.4 M

•Four Rung Frame:	2
•Two Rung Frame:	2
•Guard Rail Frame:	2
•Diagonal Braces (red hook):	6
•Horizontal Braces (yellow hook):	6
•Trapdoor Platform:	1
•Triangular Stabilizer:	4
•Adjustable Castors (200mm):	4
•Lock Braces:	L4
•Toe Board Sets:	1

TOWER HEIGHT 4.2 M

•Four Rung Frame:	4
•Two Rung Frame:	0
•Guard Rail Frame:	2
•Diagonal Braces (red hook):	8
•Horizontal Braces (yellow hook):	6
•Trapdoor Platform:	2
•Triangular Stabilizer:	4
•Adjustable Castors (200mm):	4
•Lock Braces:	L4
•Toe Board Sets:	1

TOWER HEIGHT 5.4 M

•Four Rung Frame:	4
•Two Rung Frame:	2
•Guard Rail Frame:	2
•Diagonal Braces (red hook):	10
•Horizontal Braces (yellow hook):	6
•Trapdoor Platform:	2
•Triangular Stabilizer:	4
•Adjustable Castors (200mm):	4
•Lock Braces:	L6
•Toe Board Sets:	1

TOWER HEIGHT 6.2 M


•Four Rung Frame:	6
•Two Rung Frame:	0
•Guard Rail Frame:	2
•Diagonal Braces (red hook):	12
•Horizontal Braces (yellow hook):	6
•Trapdoor Platform:	3
•Triangular Stabilizer:	4
•Adjustable Castors (200mm):	4
•Lock Braces:	L6
•Toe Board Sets:	1

TOWER HEIGHT 7.4 M

•Four Rung Frame:	6
•Two Rung Frame:	2
•Guard Rail Frame:	2
•Diagonal Braces (red hook):	14
•Horizontal Braces (yellow hook):	6
•Trapdoor Platform:	3
•Triangular Stabilizer:	4
•Adjustable Castors (200mm):	4
•Lock Braces:	L8
•Toe Board Sets:	1

TOWER HEIGHT 8.2 M

•Four Rung Frame:	8
•Two Rung Frame:	0
•Guard Rail Frame:	2
•Diagonal Braces (red hook):	16
•Horizontal Braces (yellow hook):	6
•Trapdoor Platform:	4
•Triangular Stabilizer:	4
•Adjustable Castors (200mm):	4
•Lock Braces:	L8
•Toe Board Sets:	1



The content of this document remains the intellectual property of Retief Sales Promotion / Suppliers and may not be reproduced or adapted, in whole or part, without written permission of Retief Sales Promotion.