retief sales promotion

innovation design solutions

sales@shop-expo.com
Tel: +264 61 21860
Fax: +264 +61+215560
12 Ruhr Street
Northern Industrial area
Windhoek Namibia

LADDER RANGE



SABS APPROVED

Proudly academy LADDERS
Reaching New Heights

retief sales promotion

innovation design solutions

PRODUCT MANUFACTURED TO SANS 50131

A-FRAME LADDER

Professional • Aluminium

4 Step | **Single Sided**



115 kg

Capacity:
- 115kg Work Load
- 150kg Static Load



Innovative Cap Design



Double-Rivit and Anti-Pinch Hinge



Slip Resistant Ladder Feet



6 Rivet Connection to Rail



Innovative Stile Design

Proudly academy LADDERS *Reaching New Heights*

Height (cm)	Width (cm)	Depth (cm)	Weight (kg)	
122	42.5	11.5	3.8	F7315 4 Step Aluminium Ladder 6003789073153

Academy Aluminium & Fibreglass Ladders are manufactured in accordance with the SABS SAN50131 standard & has the relevant testing reports

retief sales promotion

innovation design solutions

PRODUCT MANUFACTURED TO SANS 50131

A-FRAME LADDER

Professional • Aluminium

6 Step | **Single Sided**



115 kg

Capacity:
- 115kg Work Load
- 150kg Static Load



Innovative Cap Design



Double-Rivit and Anti-Pinch Hinge



Slip Resistant Ladder Feet



6 Rivet Connection to Rail



Innovative Stile Design

Proudly academy LADDERS *Reaching New Heights*

Height (cm)	Width (cm)	Depth (cm)	Weight (kg)	
182	48.5	11.5	5.6	F7317 6 Step Aluminium Ladder 6003789073177

Academy Aluminium & Fibreglass Ladders are manufactured in accordance with the SABS SAN50131 standard & has the relevant testing reports

retief sales promotion

innovation design solutions

PRODUCT MANUFACTURED TO SANS 50131

A-FRAME LADDER

Professional • Aluminium

8 Step | **Single Sided**





Capacity:
- 115kg Work Load
- 150kg Static Load



Innovative Cap Design



Double-Rivit and Anti-Pinch Hinge



Slip Resistant Ladder Feet



6 Rivet Connection to Rail



Innovative Stile Design

Proudly academy LADDERS *Reaching New Heights*

Height (cm)	Width (cm)	Depth (cm)	Weight (kg)	
242	54.5	11.5	7.2	F7318 8 Step Aluminium Ladder 6003789073184

Academy Aluminium & Fibreglass Ladders are manufactured in accordance with the SABS SAN50131 standard & has the relevant testing reports

retief sales promotion

innovation design solutions

PRODUCT MANUFACTURED TO SANS 50131

A-FRAME LADDER

Professional • Aluminium

10 Step | **Single Sided**



Proudly academy LADDERS
Reaching New Heights



Capacity:
- 115kg Work Load
- 150kg Static Load



Innovative Cap Design



Double-Rivit and Anti-Pinch Hinge



Slip Resistant Ladder Feet



6 Rivet Connection to Rail



Innovative Stile Design

Height (cm)	Width (cm)	Depth (cm)	Weight (kg)	
300	60.5	11.5	9.4	F7319 10 Step Aluminium Ladder 6003789073191

Academy Aluminium & Fibreglass Ladders are manufactured in accordance with the SABS SAN50131 standard & has the relevant testing reports

retief sales promotion

innovation design solutions

PRODUCT MANUFACTURED TO SANS 50131

EXTENSION LADDER

Professional • Aluminium

6 m | **Single Sided**



115 kg

Capacity:
- 115kg Work Load
- 150kg Static Load



Extra wide brackets & additional hooks for enhanced safety



3 Rung overlap for extra safety



Slip Resistant Ladder Feet



Pin Stopper Ensures No Over Extension



Wide Rung for Long Term Comfort

Proudly academy LADDERS *Reaching New Heights*

Height (cm)	Width (cm)	Depth (cm)	Weight (kg)	
343.5	43	12	12.6	F7613 6m Extension Aluminium Ladder 6003789076130

Academy Aluminium & Fibreglass Ladders are manufactured in accordance with the SABS SAN50131 standard & has the relevant testing reports

retief sales promotion

innovation design solutions

PRODUCT MANUFACTURED TO SANS 50131

EXTENSION LADDER

Professional • Aluminium

7.8 m | **Single Sided**



115 kg

Capacity:
- 115kg Work Load
- 150kg Static Load



Extra wide brackets & additional hooks for enhanced safety



3 Rung overlap for extra safety



Slip Resistant Ladder Feet



Pin Stopper Ensures No Over Extension



Wide Rung for Long Term Comfort

Proudly academy LADDERS *Reaching New Heights*

Height (cm)	Width (cm)	Depth (cm)	Weight (kg)	
424	43	12	14.9	**F7614** 7.8m Extension Aluminium Ladder 6003789076147

Academy Aluminium & Fibreglass Ladders are manufactured in accordance with the SABS SAN50131 standard & has the relevant testing reports

retief sales promotion

innovation design solutions

PRODUCT MANUFACTURED TO SANS 50131

EXTENSION LADDER

Professional • Aluminium

9 m | **Single Sided**



115 kg

Capacity:
- 115kg Work Load
- 150kg Static Load



Extra wide brackets & additional hooks for enhanced safety



3 Rung overlap for extra safety



Slip Resistant Ladder Feet



Pin Stopper Ensures No Over Extension



Wide Rung for Long Term Comfort

Proudly academy LADDERS *Reaching New Heights*

Height (cm)	Width (cm)	Depth (cm)	Weight (kg)	
488.5	43	12	17.6	**F7615** 9m Extension Aluminium Ladder 6003789076154

Academy Aluminium & Fibreglass Ladders are manufactured in accordance with the SABS SAN50131 standard & has the relevant testing reports

retief sales promotion

innovation design solutions

PRODUCT MANUFACTURED TO SANS 50131

A-FRAME FIBREGLASS

Professional • Partial Fibre Glass

6 Step Single Sided



115 kg

Capacity:
- 115kg Work Load
- 150kg Static Load



Innovative Cap Design




Double-Rivit and Anti-Pinch Hinge



Slip Resistant Ladder Feet



6 Rivet Connection to Rail



Innovative Stile Design

Proudly academy LADDERS *Reaching New Heights*

Height (cm)	Width (cm)	Depth (cm)	Weight (kg)	
182	49	13	7.08	F7616 6 Step Fibreglass Ladder 6003789076161

Academy Aluminium & Fibreglass Ladders are manufactured in accordance with the SABS SAN50131 standard & has the relevant testing reports

retief sales promotion

innovation design solutions

PRODUCT MANUFACTURED TO SANS 50131

A-FRAME FIBREGLASS

Professional • Partial Fibre Glass

8 Step

Single Sided



115 kg

Capacity:
- 115kg Work Load
- 150kg Static Load



Innovative Cap Design




Double-Rivit and Anti-Pinch Hinge



Slip Resistant Ladder Feet



6 Rivet Connection to Rail



Innovative Stile Design

Proudly academy LADDERS *Reaching New Heights*

Height (cm)	Width (cm)	Depth (cm)	Weight (kg)	
242	55	13	9.26	F7617 8 Step Fibreglass Ladder 6003789076178

Academy Aluminium & Fibreglass Ladders are manufactured in accordance with the SABS SAN50131 standard & has the relevant testing reports

retief sales promotion

innovation design solutions

PRODUCT MANUFACTURED TO SANS 50131

A-FRAME FIBREGLASS

Professional • Partial Fibre Glass

10 Step

Single Sided



115 kg

Capacity:
- 115kg Work Load
- 150kg Static Load



Innovative Cap Design




Double-Rivit and Anti-Pinch Hinge



Slip Resistant Ladder Feet



6 Rivet Connection to Rail



Innovative Stile Design

Proudly academy LADDERS *Reaching New Heights*

Height (cm)	Width (cm)	Depth (cm)	Weight (kg)	
300	61	13	11.88	F7618 10 Step Fibreglass Ladder 6003789076185

Academy Aluminium & Fibreglass Ladders are manufactured in accordance with the SABS SAN50131 standard & has the relevant testing reports

retief sales promotion

innovation design solutions

PRODUCT MANUFACTURED TO SANS 50131

LEAN TO LADDER

Professional • Aluminium

2.4 m | **Single Sided**



115 kg

Capacity:
- 115kg Work Load
- 150kg Static Load



Slip Resistant Ladder Feet



Wide Rung for Long Term Comfort

Proudly academy LADDERS *Reaching New Heights*

Height (cm)	Width (cm)	Depth (cm)	Weight (kg)	
243.5	43	6.5	4.2	F7619 2.4m Lean to Ladder 6003789076192

Academy Aluminium & Fibreglass Ladders are manufactured in accordance with the SABS SAN50131 standard & has the relevant testing reports

retief sales promotion

innovation design solutions

PRODUCT MANUFACTURED TO SANS 50131

LEAN TO LADDER

Professional • Aluminium

3.4 m | **Single Sided**



115 kg

Capacity:
- 115kg Work Load
- 150kg Static Load



Slip Resistant
Ladder Feet



Wide Rung for
Long Term Comfort

Proudly academy LADDERS
Reaching New Heights

Height (cm)	Width (cm)	Depth (cm)	Weight (kg)	
343.5	43	6.5	5.92	F7620 3.4m Lean to Ladder 6003789076208

Academy Aluminium & Fibreglass Ladders are manufactured in accordance with the SABS SAN50131 standard & has the relevant testing reports

retief sales promotion

innovation design solutions

PRODUCT MANUFACTURED TO SANS 50131

LEAN TO LADDER

Professional • Aluminium

4.9 m | **Single Sided**



115 kg

Capacity:
- 115kg Work Load
- 150kg Static Load



Slip Resistant
Ladder Feet



Wide Rung for
Long Term Comfort

Proudly academy LADDERS
Reaching New Heights

Height (cm)	Width (cm)	Depth (cm)	Weight (kg)	
493.5	43	6.5	8.24	F7621 4.9m Lean to Ladder 6003789076215

Academy Aluminium & Fibreglass Ladders are manufactured in accordance with the SABS SAN50131 standard & has the relevant testing reports

retief sales promotion


innovation design solutions

PRODUCT MANUFACTURED TO SANS 50131

LEAN TO LADDER

Professional • Aluminium

6 m | **Single Sided**





Capacity:
- 115kg Work Load
- 150kg Static Load



Slip Resistant
Ladder Feet



Wide Rung for
Long Term Comfort

Proudly academy LADDERS *Reaching New Heights*

Height (cm)	Width (cm)	Depth (cm)	Weight (kg)	
603.5	43	6.5	10	F7622 6m Lean to Ladder 6003789076222

Academy Aluminium & Fibreglass Ladders are manufactured in accordance with the SABS SAN50131 standard & has the relevant testing reports

retief sales promotion

innovation design solutions

PRODUCT MANUFACTURED TO SANS 50131

MULTI-PURPOSE

Professional • Aluminium

3.5 m

6 Step A Frame
12 Step Straight



150 kg


Capacity:
• 150kg Max



Slip Resistant Stabilisers



Strong Joint & Lock Hinges





Compact Fold Away

Proudly academy LADDERS Reaching New Heights

SABS APPROVED

Height (cm)	Width (cm) / Width with Stabiliser (cm)	Depth (cm)	Weight (kg)	
3500	37 / 73	12	11.2	F7626 Multi Purpose Ladder 6003789076260

retief sales promotion

innovation design solutions

sales@shop-expo.com | Tel: +264 61 21860 | Fax: +264 +61+215560
12 Ruhr Street Northern Industrial area Windhoek Namibia
P. O. BOX 1693 Windhoek Namibia

www.retief-sales.com

retief sales promotion

innovation design solutions

MOUNTY | Ladder | Mobile safety



- Ideal for stock picking
- Used commonly between racking & shelving
- Non-slip steps
- Full safety handrailing
- Lockable castors
- Tread width 600mm
- Total base width 950mm
- Safe working load 200kg's

CODE	PLATFORM HEIGHT
ML 2 (no handrail)	450mm
MLH 3	710mm
MLH 4	960mm
MLH 6	1440mm
MLH 8	1930mm
MLH 10	2410mm
MLH 12	2890mm
MLH 15	3680mm

This range represents the most popular size & type. Should you require alternative size or format, kindly contact our sales team for possible options & solutions

retief sales promotion

innovation design solutions

sales@shop-expo.com | Tel: +264 61 21860 | Fax: +264 +61+215560
12 Ruhr Street Northern Industrial area Windhoek Namibia
P. O. BOX 1693 Windhoek Namibia

www.retief-sales.com