retief sales promotion
innovation design solutions

SHOWROOM | SALES
12 Ruhr Street Northern Industrial, Windhoek, Namibia

TEL + 264 61 218 610 | FAX + 264 61 215 560

sales@shop-expo.com

CAT | STORAGE SYSTEM Product: CRATES | SECURITY

CODE: AT704604

Technical Specifications


Moulding: High-pressure injection moulding
Material: Fully recyclable, impact modified polypropylene
Exterior top: 714mm x 465mm x 356mm
Interior base: 598mm x 375mm x 307mm
Hinged lid | seal-tab holes
75 litre capacity
Load: 200kg
Weight: 4.6kg
Stack: 331mm
Nest: 78mm
Colour: Blue, grey



CODE: CT4512

Technical Specifications

Moulding: High-pressure injection moulding
Material: Fully recyclable, impact modified polypropylene
Exterior top: 600mm x 400mm x 400mm
Interior base: 521mm x 343mm x 375mm
Hinged lid | seal-tab holes
70 litre capacity
Load: 165kg
Weight: 3.7kg
Stack: 387mm
Nest: 107mm
Colour: Blue, grey



CODE: CT1573

Technical Specifications

Moulding: High-pressure injection moulding
Material: Fully recyclable, impact modified polypropylene
Exterior top: 594mm x 396mm x 315mm
Interior base: 510mm x 338mm x 280mm
Load: 160kg
Weight: 3.3kg
Stack: 295mm
Nest Height: 35%
Colour: Blue, grey, black
Hinged lid | seal-tab holes
55 litre capacity



The content of this document remains the intellectual property of Retief Sales Promotion / Suppliers and may not be reproduced or adapted, in whole or part, without written permission of Retief Sales Promotion.

retief sales promotion
innovation design solutions

SHOWROOM | SALES
12 Ruhr Street Northern Industrial, Windhoek, Namibia

TEL + 264 61 218 610 | FAX + 264 61 215 560

sales@shop-expo.com

CAT | STORAGE SYSTEM Product: CRATES | SECURITY

CODE: C1609

Technical Specifications

Moulding: High-pressure injection moulding
Material: Fully recyclable, impact modified polypropylene
Exterior top: 400mm x 297mm x 315mm
Interior base: 342mm x 235mm x 280mm
Hinged lid | seal-tab holes
26 litre capacity
Carrying Load: 10kg
Load: 160kg
Weight: 1.72kg
Stack: 300mm
Nest: 107mm
Colour: Blue, grey, black



CODE: C7005

Technical Specifications

Moulding: High-pressure injection moulding
Material: Fully recyclable, impact modified polypropylene
Exterior top: 300mm x 200mm x 182mm
Interior base: 250mm x 155mm x 157mm
Hinged lid | seal-tab holes
6.4 litre capacity
Max Base on Load: 75Kg
Carrying Load: 10kg
Load: 57kg
Weight: 0.7kg
Stack: 167mm
Nest Height: 40%
Colour: Blue, grey, black



The content of this document remains the intellectual property of Retief Sales Promotion / Suppliers and may not be reproduced or adapted, in whole or part, without written permission of Retief Sales Promotion.

retief sales promotion
innovation design solutions

SHOWROOM | SALES
12 Ruhr Street Northern Industrial, Windhoek, Namibia

TEL + 264 61 218 610 | FAX + 264 61 215 560

sales@shop-expo.com

CODE: C43280

UTILITY BOX

Technical Specifications

Material: Polypropylene
Ext. Top: 400 x 300 x 280mm (H)
Int. Base: 346 x 260 x 262mm (H)
Carrying Load: 20kg
Max Load on Base: 155kg
Weight: 2.2 kg
Capacity: 24 litre
Stack Height: 272mm
Nest Height: N/A
Colour: Grey



CODE: C64280

Technical Specifications

Material: Polypropylene
Ext. Top: 600 x 400 x 280mm (H)
Int. Base: 544 x 359 x 262mm (H)
Carrying Load: 20kg
Max Load on Base: 155kg
Weight: 3.6 kg
Capacity: 52 litre
Stack Height: 272mm
Nest Height: N/A
Colour: Grey



The content of this document remains the intellectual property of Retief Sales Promotion / Suppliers and may not be reproduced or adapted, in whole or part, without written permission of Retief Sales Promotion.

retief sales promotion
innovation design solutions

SHOWROOM | SALES
12 Ruhr Street Northern Industrial, Windhoek, Namibia

TEL + 264 61 218 610 | FAX + 264 61 215 560

sales@shop-expo.com

CODE: W080 | HYGIENE DOLLY

Technical Specifications

Moulding: High-pressure injection moulding
Material: Fully recyclable, impact modified polypropylene
Exterior top: 800mm x 600mm x 200mm
Interior base: 762mm x 570mm
Load: 200kg
Castors: 125mm (2 fixed, 2 swivel)
Weight: 7.5kg
Colour: Brown



CODE: WUD | UNIVERSAL DOLLY

Technical Specifications

Moulding: High-pressure injection moulding
Material: Fully recyclable, impact modified polypropylene
Exterior top: 800mm x 600mm x 173mm
Interior base:
Load: 500kg
Castors: 125mm (2 fixed, 2 swivel)
Weight: 9.7kg
Colour: Black



CODE: WHD | HYBRID DOLLY

Technical Specifications

Moulding: High-pressure injection moulding
Material: Fully recyclable, impact modified polypropylene
Exterior top: 800mm x 600mm x 185mm
Aluminium profiles allow for the dolly to be customized according to required spec
Load: 500kg
Castors: 100mm
Weight: 8.1kg - 9.5kg
Colour: Black



The content of this document remains the intellectual property of Retief Sales Promotion / Suppliers and may not be reproduced or adapted, in whole or part, without written permission of Retief Sales Promotion.

retief sales promotion
innovation design solutions

SHOWROOM | SALES
12 Ruhr Street Northern Industrial, Windhoek, Namibia


TEL + 264 61 218 610 | FAX + 264 61 215 560

sales@shop-expo.com

CODE: CT7100 | FREEZER TRAY

Technical Specifications

Moulding: High-pressure injection moulding
Material: Fully recyclable, impact modified polypropylene
Exterior top: 600mm x 400mm x 188mm
Interior base: 550mm x 347mm x 160mm
Carrying Load: 20 kg
Weight: 1.6 kg
Capacity: 33 liters
Stack: 177mm
Nest: 43%
Colour: Natural



CODE: C1519 | MEAT BOX

Technical Specifications

Code: C1519
Moulding: High-pressure injection moulding
Material: Polypropylene
Exterior top: 815mm x 483mm x 275mm (H)
Interior base: 728mm x 327mm x 235mm (H)
Carrying Load: 28 kg
Max Load on Base: 720 kg
Stack Height: 250 mm
Nest Height: 69%
Colour: Natural



CODE: CT4507 | HAVERHILL + LID

Technical Specifications

Moulding: High-pressure injection moulding
Material: Fully recyclable, impact modified polypropyle
Exterior top: 600mm x 400mm x 195mm
Interior base: 550mm x 350mm x 185mm
Carrying Load: 20kg
Load: 160kg
Weight: 1.56kg
Capacity: 35 liters
Stack: 283mm
Nest Height: 46%
Colour: Natural

The content of this document remains the intellectual property of Retief Sales Promotion / Suppliers and may not be reproduced or adapted, in whole or part, without written permission of Retief Sales Promotion.

retief sales promotion
innovation design solutions

SHOWROOM | SALES
12 Ruhr Street Northern Industrial, Windhoek, Namibia

TEL + 264 61 218 610 | FAX + 264 61 215 560

sales@shop-expo.com

CODE: C141 | FOOD - GENERAL

Technical Specifications

Moulding Process: High pressure injection moulding.
Material: Fully recyclable, impact modified polypropylene
Exterior top: 495mm 350mm x 178mm
Interior base: 440mm x 310mm x 168mm
Carrying Load: 20kg
Load: 180kg
Weight: 0.92kg
Capacity: 22 liters
Stack: Up to 7 units high / 164mm
Nest: n/a
Colour: Blue, Green, yellow, Beige

CODE: C142 | FOOD - GENERAL

Technical Specifications

Moulding: High pressure injection moulding
Material: Fully recyclable, impact modified polypropylene
Exterior top: 648mm x 384mm x 209mm
Interior base: 590mm x 340mm x 200mm
Max Load on Base: 162kg
Carrying Load: 20kg
Load: 180kg per rack / 30 units high
Weight: 2kg
Capacity: 37 liters
Stack: 5 units high / 190mm
Nest: n/a
Colour: Natural, Black

CODE: C143 | FOOD - GENERAL

Technical Specifications

Moulding: High-pressure injection moulding
Material: Fully recyclable, impact modified polypropylene
Exterior top: 600mm x 400mm x 285mm
Interior base: 545mm x 345mm x 280mm
Max Load on Base: 150kg
Carrying Load: 20kg
Load: 30kg
Weight: 2.2kg
Capacity: 52 liters
Stack: 7 units high / 285mm
Nest: n/a
Colour: Natural, grey, black



The content of this document remains the intellectual property of Retief Sales Promotion / Suppliers and may not be reproduced or adapted, in whole or part, without written permission of Retief Sales Promotion.

retief sales promotion
innovation design solutions

SHOWROOM | SALES
12 Ruhr Street Northern Industrial, Windhoek, Namibia

TEL + 264 61 218 610 | FAX + 264 61 215 560

sales@shop-expo.com

CAT | STORAGE SYSTEM Product: CRATES|PROTEIN

CODE: CT4610 | FISH

Technical Specifications

Moulding: High-pressure injection moulding
Material: Fully recyclable, impact modified polypropylene
Exterior top: 804mm 448mm x 273mm
Interior base: 638mm x 386mm x 227mm
Carrying Load: 23kg
Weight: 3.62kg
Capacity: 55 liters
Stack Height: 240mm
Nest Height: 33%
Colour: Natural



CODE: CTFB

Technical Specifications

Moulding: High-pressure injection moulding
Material: Fully recyclable, impact modified polypropylene
Exterior top: 810mm 477mm x 185mm
Interior base: 730mm x 394mm x 173mm
Carrying Load: 20kg
Weight: 3.3kg
Capacity: 35 liters
Stack Height: 174mm
Nest Height: 50%
Colour: Natural, blue



- Versions: Solid base with vented sides or fully vented.
  Contact our sales team for further options & details

The content of this document remains the intellectual property of Retief Sales Promotion / Suppliers and may not be reproduced or adapted, in whole or part, without written permission of Retief Sales Promotion.

retief sales promotion
innovation design solutions

SHOWROOM | SALES
12 Ruhr Street Northern Industrial, Windhoek, Namibia

TEL + 264 61 218 610 | FAX + 264 61 215 560

sales@shop-expo.com

CAT | STORAGE SYSTEM Product: CRATES|STACK

CODE: CT4301 | AGRICULTURAL LUG



Technical Specifications

Moulding: High-pressure injection moulding
Material: Fully recyclable, impact-modified polypropylene
Exterior top: 528mm x 354mm x 295mm
Interior base: 480mm x 306mm x 288mm
Carrying Load: 20kg
Load: 155kg
Weight: 1.62kg
Capacity: 43 liters
Stack: 283mm
Nest: n/a
Colour: Red, blue, black

CODE: CT64100 | STACK



Technical Specifications

Material: Polypropylene
Ext. Top: 600 x 400 x 100mm (H)
Int. Base: 567 x 367 x 76mm (H)
Carrying Load: 20kg
Max Load on Base: 155kg
Stack Height: 90mm
Nest Height: N/A
Colour: Blue

CODE: CT64200 | STACK

(Code: CT 4310 / CT4311 / CT4312)



Technical Specifications

Material: Polypropylene
Ext. Top: 600 x 400 x 200mm (H)
Int. Base: 567 x 367 x 184mm (H)
Carrying Load: 20kg
Max Load on Base: 155kg
Stack Height: 192mm
Nest Height: N/A
Colour: Grey, black

The content of this document remains the intellectual property of Retief Sales Promotion / Suppliers and may not be reproduced or adapted, in whole or part, without written permission of Retief Sales Promotion.

retief sales promotion
innovation design solutions

SHOWROOM | SALES
12 Ruhr Street Northern Industrial, Windhoek, Namibia

TEL + 264 61 218 610 | FAX + 264 61 215 560

sales@shop-expo.com

CODE: CT4318 | STACK

Technical Specifications

Material: Polypropylene
Ext. Top: 600 x 400 x 185mm (H)
Int. Base: 567 x 367 x 169mm (H)
Carrying Load: 20kg
Max Load on Base: 155kg
Stack Height: 177mm
Nest Height: N/A
Colour: Grey, black



CODE: RL-KLT43280 | STACK

Technical Specifications

Material: Polypropylene
Ext. Top: 400 x 300 x 280mm (H)
Int. Base: 346 x 260 x 262mm (H)
Carrying Load: 20kg
Max Load on Base: 155kg
Weight: 1.8 kg
Capacity: 23 liters
Stack Height: 272mm
Nest Height: N/A
Colour: Blue, Grey



CODE: RL-KLT64280 | STACK

Technical Specifications

Material: Polypropylene
Ext. Top: 600 x 400 x 280mm (H)
Int. Base: 544 x 359 x 262mm (H)
Carrying Load: 20kg
Max Load on Base: 155kg
Weight: 2.8 kg
Capacity: 51 liters
Stack Height: 272mm
Nest Height: N/A
Colour: Blue, Grey



The content of this document remains the intellectual property of Retief Sales Promotion / Suppliers and may not be reproduced or adapted, in whole or part, without written permission of Retief Sales Promotion.

retief sales promotion
innovation design solutions

SHOWROOM | SALES
12 Ruhr Street Northern Industrial, Windhoek, Namibia

TEL + 264 61 218 610 | FAX + 264 61 215 560

sales@shop-expo.com

CODE: SN64120 | NESTING - STACK

Technical Specifications

Moulding: High-pressure injection moulding
Material: Fully recyclable, impact-modified polypropylene
Imported
Exterior top: 600mm x 400mm x 120mm
Interior base: 544mm x 344mm x 104mm
Carrying Load: 20kg
Load: 135kg
Capacity: 20 liters
Weight: 1.4kg
Stack Height: 109mm
Nest Height: 50%
Colour: Black, grey



CODE: SN64190 | NESTING - STACK

Technical Specifications

Moulding: High-pressure injection moulding
Material: Fully recyclable, impact-modified polypropylene
Imported
Ext. Top: 600 x 400 x 190mm
Int. Base: 576 x 344 x 176mm
Carrying Load: 20kg
Load: 168kg
Capacity: 33.8 liters
Weight: 1.75kg
Stack: 179mm
Nest Height: 50%
Colour: Black, grey



CODE: SN43190 | NESTING - STACK

Technical Specifications

Moulding: High-pressure injection moulding
Material: Fully recyclable, impact-modified polypropylene
Imported
Exterior top: 400mm x 300mm x 190mm
Interior base: 344mm x 264mm x 176mm
Carrying Load: 20kg
Load: 70kg
Weight: 1.2kg
Capacity: 18 liters
Stack: 179mm
Nest Height: 50%
Colour: Black, grey



The content of this document remains the intellectual property of Retief Sales Promotion / Suppliers and may not be reproduced or adapted, in whole or part, without written permission of Retief Sales Promotion.

retief sales promotion
innovation design solutions

SHOWROOM | SALES
12 Ruhr Street Northern Industrial, Windhoek, Namibia

TEL + 264 61 218 610 | FAX + 264 61 215 560

sales@shop-expo.com

CODE: CT4901 | POP-TRAY VENTED

Technical Specifications

Moulding: High-pressure injection moulding
Material: Fully recyclable, UV- stabilized, impact-modified polypropylene
Exterior top: 600mm x 400mm x 210mm
Interior base: 543mm x 342mm x 195mm
Load: 240kg
Carrying Load: 20kg
Weight: 2.2kg
Capacity: 35 liters
Stack: 200mm
Nest: 113mm
Colour: Grey, black



CODE: CT4902 | POP-TRAY SOLID

Technical Specifications

Moulding: High-pressure injection moulding
Material: Fully recyclable, UV- stabilized, impact-modified polypropylene
Exterior top: 600mm x 400mm x 210mm
Interior base: 543mm x 342mm x 195mm
Load: 240kg
Carrying Load: 20kg
Weight: 2.3 kg
Capacity: 35 liters
Stack: 200mm
Nest: 65mm
Colour: Grey, black



The content of this document remains the intellectual property of Retief Sales Promotion / Suppliers and may not be reproduced or adapted, in whole or part, without written permission of Retief Sales Promotion.

retief sales promotion
innovation design solutions

SHOWROOM | SALES
12 Ruhr Street Northern Industrial, Windhoek, Namibia

TEL + 264 61 218 610 | FAX + 264 61 215 560

sales@shop-expo.com

CODE: CT4201 | CONCEPT TRAY

Technical Specifications

Moulding: High-pressure injection moulding
Material: Fully recyclable, UV- stabilized, impact-modified polypropylene
Ext. Top: 687 x 443 x 195mm
Interior base: 630 x 410 x 185mm
Max Load on Base: 160kg
Carrying Load: 20kg
Load: 240kg
Weight: 2.2kg
Capacity: 35 liters
Stack Height: 180mm
Nest Height: 33%
Colours: Grey, black



CATERING TRAY



GLASS STACKING TRAY

Length	482 mm (external)	463 mm (internal)
Width	330 mm (external)	311 mm (internal)
Height	212 mm (external)	208 mm (internal)
Weight	750 g	
Pocket Size	77 mm x 75 mm	
Material	High-density Polyethylene	

The content of this document remains the intellectual property of Retief Sales Promotion / Suppliers and may not be reproduced or adapted, in whole or part, without written permission of Retief Sales Promotion.


retief sales promotion
innovation design solutions

SHOWROOM | SALES
12 Ruhr Street Northern Industrial, Windhoek, Namibia

TEL + 264 61 218 610 | FAX + 264 61 215 560

sales@shop-expo.com

TWO THIRDS DEPTH DAIRY CRATE



FEATURES

- Interactable with full and half depth crates.
- Strong and durable.
- Suitable for use on conveyors.
- Column stacks.

APPLICATIONS

- Designed especially for the handling, storage and distribution of yoghurt cups, cheese cups and cream cups.

Length	426 mm (external)	398 mm (internal)
Width	336 mm (external)	308 mm (internal)
Height	206 mm (external)	198 mm (internal)
Weight	No partitions: 965 g	
Material	High-density Polyethylene	

The content of this document remains the intellectual property of Retief Sales Promotion / Suppliers and may not be reproduced or adapted, in whole or part, without written permission of Retief Sales Promotion.


retief sales promotion
innovation design solutions

SHOWROOM | SALES
12 Ruhr Street Northern Industrial, Windhoek, Namibia

TEL + 264 61 218 610 | FAX + 264 61 215 560

sales@shop-expo.com

HALF DEPTH DAIRY CRATE



FEATURES

•Interactable with full and two third depths crates.
•Also available with 12 or 20 partitions.
•Strong and durable.
•Suitable for use on conveyors.
•Column stacks.

APPLICATIONS

•Designed especially for the handling, storage and distribution of yoghurt cups, cheese cups and cream cups.

Length	426 mm (external)	398 mm (internal)
Width	336 mm (external)	308 mm (internal)
Height	163 mm (external)	150 mm (internal)
Weight	No partitions: 860 g	
Material	High-density Polyethylene	

The content of this document remains the intellectual property of Retief Sales Promotion / Suppliers and may not be reproduced or adapted, in whole or part, without written permission of Retief Sales Promotion.

retief sales promotion
innovation design solutions

SHOWROOM | SALES
12 Ruhr Street Northern Industrial, Windhoek, Namibia

TEL + 264 61 218 610 | FAX + 264 61 215 560

sales@shop-expo.com

FULL DEPTH DAIRY CRATE



FEATURES

•Heavy weight.
•Strong and durable.
•Suitable for use on conveyors.
•Column stacks.

APPLICATIONS

•Designed for the handling, storage and distribution of milk.
•20 x 1lt. Sachets, 20 x 1lt. Plastic bottles and 10 x 2lt. Cartons.
•This crate is also ideal for storage and transporting of other food products.

Length	426 mm (external)	398 mm (internal)
Width	336 mm (external)	308 mm (internal)
Height	308 mm (external)	295 mm (internal)
Weight	All vented: 1600 g	
Material	High-density Polyethylene	

The content of this document remains the intellectual property of Retief Sales Promotion / Suppliers and may not be reproduced or adapted, in whole or part, without written permission of Retief Sales Promotion.

retief sales promotion
innovation design solutions

SHOWROOM | SALES
12 Ruhr Street Northern Industrial, Windhoek, Namibia

TEL + 264 61 218 610 | FAX + 264 61 215 560

sales@shop-expo.com

CONFECTIONERY TRAY – SHALLOW



FEATURES

•Short height enables extra layer of crates when delivering.
•Strong and durable.
•Stackable and nestable.
•Suitable for use on conveyors.
•Smooth interior enables easy cleaning.

APPLICATIONS

•Designed especially for the handling, storage and distribution of yoghurt cups, cheese cups and cream cups.

Length	650 mm (external)	628 mm (internal)
Width	545 mm (external)	529 mm (internal)
Height	87 mm (external)	71 mm (internal)
Weight	Vented base: 1350 g	
Material	High-density Polyethylene	

The content of this document remains the intellectual property of Retief Sales Promotion / Suppliers and may not be reproduced or adapted, in whole or part, without written permission of Retief Sales Promotion.

retief sales promotion
innovation design solutions

SHOWROOM | SALES
12 Ruhr Street Northern Industrial, Windhoek, Namibia

TEL + 264 61 218 610 | FAX + 264 61 215 560

sales@shop-expo.com

CONFECTIONERY TRAY – DEEP



FEATURES

•Short height enables extra layer of crates when delivering.
•Strong and durable.
•Stackable and nestable.
•Suitable for use on conveyors.
•Smooth interior enables easy cleaning.

APPLICATIONS

•Designed especially for the handling, storage and distribution of yoghurt cups, cheese cups and cream cups.

Length	650 mm (external)	628 mm (internal)
Width	545 mm (external)	529 mm (internal)
Height	110 mm (external)	97 mm (internal)
Weight	Vented base: 1485 g	
Material	High-density Polyethylene	

The content of this document remains the intellectual property of Retief Sales Promotion / Suppliers and may not be reproduced or adapted, in whole or part, without written permission of Retief Sales Promotion.

retief sales promotion
innovation design solutions

SHOWROOM | SALES
12 Ruhr Street Northern Industrial, Windhoek, Namibia

TEL + 264 61 218 610 | FAX + 264 61 215 560

sales@shop-expo.com

BREAD CRATE – SHORT HEIGHT MK5



FEATURES

•Short height enables extra layer of crates when delivering.
•Stackable and nestable.
•Suitable for use on conveyors.
•Light weight and easy to handle.
•Smooth interior enables easy cleaning.

APPLICATIONS

•Designed for the handling, storage and distribution of 10 loaves of bread and confectionery.

Length	592 mm (external)	560 mm (internal)
Width	534 mm (external)	506 mm (internal)
Height	170 mm (external)	141 mm (internal)
Weight	All vented: 1230 g	
Material	High-density Polyethylene	

The content of this document remains the intellectual property of Retief Sales Promotion / Suppliers and may not be reproduced or adapted, in whole or part, without written permission of Retief Sales Promotion.

retief sales promotion
innovation design solutions

SHOWROOM | SALES
12 Ruhr Street Northern Industrial, Windhoek, Namibia

TEL + 264 61 218 610 | FAX + 264 61 215 560

sales@shop-expo.com

BREAD CRATE – STANDARD HEIGHT MK2



FEATURES

- Standard height and heavy duty.
- Strong and durable.
- Stackable and nestable.
- Suitable for use on conveyors.
- Smooth interior enables easy cleaning.

APPLICATIONS

- Designed for the handling, storage and distribution of 10 loaves of bread and confectionery.
- Handling and distribution of pot plants in nurseries.
- General purpose use.

Length	595 mm (external)	562 mm (internal)
Width	535 mm (external)	510 mm (internal)
Height	185 mm (external)	155 mm (internal)
Weight	All vented: 1700 g	
Material	High-density Polyethylene	

The content of this document remains the intellectual property of Retief Sales Promotion / Suppliers and may not be reproduced or adapted, in whole or part, without written permission of Retief Sales Promotion.